

# Strength and Durability Beyond Compare.



OUR BENSON™ LINE OF ALUMINUM PLATFORM TRAILERS



**Transcraft**®

***Transcraft***<sup>®</sup>

**Transcraft**<sup>®</sup> continues to engineer solutions that fit our customers' increasingly rigorous applications. And our Aluminum Flatbed and Drop Deck Trailers prove our commitment to delivering unmatched value, performance and durability.



*Transcraft*<sup>®</sup>

# 524® & 724® Aluminum Flatbed Trailers

## Meeting Standards and Exceeding Expectations

Transcraft's tradition of value continues with the Benson Line of quality engineered, **524 and 724 Aluminum Flatbed Trailers**. Both models are designed and manufactured by experienced and professionally trained employees, insuring years of reliable trouble-free service hauling a wide range of materials from large single coils to high volume building materials. Offering a five-year limited warranty, no application is too great or too small. Trust in the durability and value the 524 and 724 models provide.

### 524 Aluminum Flatbed Trailer

The 524 base model is anything but standard. With weights as low as 7,990# for a 48' x102", to a heavier haul unit able to haul a 52,000# concentrated load in a 4' span, this is the perfect trailer to maximize the operator's payload on those 80,000# non-permitted loads.



#### BULKHEAD:

Optional, removable or permanent, aluminum D.O.T. rated.



#### TOOL BOXES:

Optional single and double door tool boxes available with a variety of mounting locations.



#### MID-TURN:

L.E.D. standard on all units.

#### AIR & ELECTRIC CONNECTIONS:

Centered on front with optional offset to driver side or in front of landing gear available.

#### "LL" WINCH TRACK:

Standard on driver side. Optional additional track on curb side with standard or low-profile winches available.



#### UPPER COUPLER:

5/16" steel plate. Optional aluminum coupler plate provides lasting service and up to 110# weight reduction.

## 524 & 724 Standard Platform Trailer Specifications

Length:	42'-53'
Width:	96" or 102"
Upper Coupler:	5/16" with 30" Kingpin Setting
Main Frame:	Extruded Aluminum 6061-T6 with Intrinsic Camber
Floor Cross Members:	4-7/8" Extruded C-Channel on 16" O.C.
Side Rail:	6" with Stake Pockets 24" O.C. and Double Pipe Spools
Floor:	1-1/4" Multi-Hollow Core with 3 Nailers
Bumper:	Heavy Duty Aluminum Tube
Rear:	Integral Stake Pockets and Two Dock Bumpers
Paint:	Black, Automotive Acrylic Enamel
A.B.S.:	4S/2M
Electrical:	12-Volt Sealed Wiring Harness
Lights:	L.E.D. 5 Markers Per Side Standard
Suspensions:	Intraxx AANT230 P-Style Bearings and 5 Year Wheel End Warranty
Brakes:	16-1/2 x 7 with Extended Service Lining
Hubs & Drums:	Dura-Lite Hubs with Centrifuse Outboard Mount Drums
Wheels:	Steel 22.5 x 8.25 10-Stud Hub Piloted
Tires:	11R x 22.5 14-Ply Radials
Landing Gear:	Just 2-Speed with Sand Shoes, Driver Side Crank
Mud Flaps:	Anti-Spray Behind Both Axles


## 724 Aluminum Flatbed Trailer

Need more hauling capability? With a concentrated load rating of 72,000# in 4' span and 140,000# evenly distributed, the 724 handles the extreme hauling loads in special heavy haul and multi-axle applications.



### REAR CLOSURE:

Optional full filler plate offers rear spray protection, allows additional lighting and company I.D. decal placement.



### FLOOR:

Smooth ribbed deck is standard, with optional anti-skid decking available.



### FLOOR NAILERS:

Three floor nailers standard, with options of two or none.



### CARGO SECUREMENT:

1. (Above) **RECESSED PULL-UP CHAIN TIE DOWNS**
2. (Below) **BENSON (LOC-RITE) IN-DECK MULTI-POSITION TIE DOWN SYSTEM**



### TIRE CARRIER:

Optional, basket-type mounted on curb side.

## 524<sup>®</sup> Aluminum Drop Deck Trailers

### Here for the Long Haul

Manufactured with the quality and durability that is expected of any Transcraft trailer, the Benson Line of **524 Aluminum Drop Deck Trailers** stands out above the competition.

### Expanding Your Hauling Possibilities

Featuring a standard deck of 10', this trailer will surpass your expectations with its numerous application possibilities. Most notably, the 524 Aluminum Drop Deck Trailer offers a 52,000# concentrated load 4' area to increase your hauling capabilities.



#### BULKHEAD:

Optional, removable or permanent, aluminum D.O.T. rated.



#### TOOL BOXES:

Optional single and double door tool boxes available with a variety of mounting locations.

#### "LL" WINCH TRACK:

Standard on driver side. Optional additional track on curb side with standard or low-profile winches available.



#### FLOOR:

Smooth ribbed deck is standard, with optional anti-skid decking available.



#### FLOOR NAILERS:

Three floor nailers standard, with options of two or none.



#### AIR & ELECTRIC CONNECTIONS:

Centered on front with optional offset to driver side or in front of landing gear available.



#### STEEL NECK TRANSITION:

Offers higher capacities.



**OPTIONAL CARGO SECUREMENT:**

1. (Above) **RECESSED PULL-UP CHAIN TIE DOWNS**
2. (Below) **BENSON (LOC-RITE) IN-DECK MULTI-POSITION TIE DOWN SYSTEM**



**MID-TURN:**  
L.E.D. standard on all units.

**WHEEL CUTOUTS:**  
Reinforced wheel cutout for proper tire clearance.



**STANDARD REAR BUMPERS:**  
Aluminum bumper and out-board mount rubber dock bumpers.

**524 Drop Deck Trailer Specifications**

Length:	48'-53'
Width:	96" or 101"
Upper Coupler:	5/16" Steel with 16" Kingpin
Main Frame:	Extruded 6061 - T6 with Intrinsic Camber
Upper Deck:	10' or 11'
Floor Cross Members:	4-7/8" Deep C-Channel on 16" Centers
Side Rail:	6" with Stake Pockets 24" O.C. and Double Pipe Spools
Floor:	1-1/4" Multi-Hollow Core with 3 Nailers
Bumper:	Heavy Duty Aluminum Tube
Rear:	Integral Stake Pockets & Two Dock Bumpers
Paint:	Black, Automotive Acrylic Enamel
A.B.S.:	4S/2M
Electrical:	12-Volt Sealed Wiring Harness
Suspension/Axles:	Intraxx AAL250 P-Style Bearings and 5 Year Wheel End Warranty
Tires:	255/70R x 22.5
Wheels:	Steel 22.5 x 8.25 10-Stud Hub Piloted
Brakes:	16-1/2 x 7 with Extended Service Lining
Hubs & Drums:	Dura-Lite Hubs with Centrifuse Outboard Mount Drums
Landing Gear:	Jost 2-Speed with Sand Shoes, Driver Side Crank
Mud Flaps:	Anti-Spray Behind Both Axles
Lights:	L.E.D. 9 Markers Per Side

**Transcraft** is honored by your interest in our Benson Line of products. We pride ourselves on providing superior service to both our long-standing and newly acquired customers and look forward to extending our commitment to superior customer service to you.

**Other Excellent Products in Our Benson Line**

- Platform and Truck Dump Bodies



Learn more about **Transcraft**<sup>®</sup>

Let Transcraft show you how to improve payloads and performance. To learn more about Transcraft and our other lines of products, call us toll free at 877.489.9020 or visit us online at [www.transcraft.com](http://www.transcraft.com).

**877.489.9020 • [www.transcraft.com](http://www.transcraft.com)**

Transcraft, Benson, 524 and 724 are pending and registered trademarks of Transcraft Corporation.